

Department of General Services / Construction

FIRE STATION #18 ROOF REPLACEMENT

Remove and dispose of the existing roof system including flashings and sheet metal down to the existing poured gypsum deck. Provide base sheet mechanically attached to roof deck. Provide vapor retarder. Provide roof insulation system. Provide a cold adhesive applied two-ply modified bitumen roof membrane along with flashings and accessories. Replace sheet metal flashings and trim. Provide a complete, weathertight, 20-year warrantable roof assembly with 30-year finish warranty.

Details

Posting Number 2023-Q1(Jan-Mar)-DGS-10986

Anticipated Posting 2023-03-24

Date

2023-03-24

14560, 77000, 77009, 77093, 91023, 91066, 91078, 91473, 91891, 93670,

Commodity Code(s): 96177, 96894, 97568, Remov

Requirements

Insurance Requirements

The City requires the awarded vendor(s) to obtain and maintain the following insurance coverage types:

Last Updated: 03/15/23

Automobile-For automobile operations liability

General Liability-For bodily injury or property damage, arising from products, premises, completed work, personal & advertising injury

Workers Compensation-For lost wages and medical expenses of injured workers

Estimated Total Value
The total project value is anticipated to be:
\$100,000 - 249,999
Contract Term
The term of the project is anticipated to be:
Not to Exceed
© Encumbered
Encumbered.
For Questions, Contact:
David Larson
City Contact
david.larson@charlottenc.gov